JET

CM-JT1

OPERATING MANUAL

JET

OPERATING MANUAL

WRITTEN BY CHARLES GUY
DIRECTED BY BRUCE ARTWICK

PROGRAM NUMBER CM-JT1

©SubLOGIC Corporation 1985
First Edition
First Printing
All Rights Reserved
SubLOGIC Corporation
713 Edgebrook Drive
Champaign, IL 61820

SubLOGIC MEDIA POLICY

SubLOGIC Corporation warrants all media for a period of six months from the date of purchase. We will replace any media that are out of warranty at a minimal charge.* SubLOGIC will extend this replacement service for a period of not less than ten years after purchase.

If you wish to return a defective disk or cassette, please return the media only. We have established an efficient and very fast repair/replacement system which promises long-run benefits to you. Returning the manuals will complicate the system and will raise shipping costs.

While our turnaround on defective media is very fast, a backup copy of this disk is also available from SubLOGIC Corporation for $10.00 plus proof of purchase. Please specify your computer system (IBM, Apple, etc.) when ordering a backup. If proof of purchase is not available, you may send your disk as proof. We will return the disk and a backup copy to you.

*Example: Replacement charges as of July 1, 1985—$5.00 for a disk
$4.00 for a cassette.

TABLE OF CONTENTS

INTRODUCTION 1

DOCUMENTATION 1

RUNNING THE JET 3
LOAD UP 3
MENU SELECTIONS 4
COMMODORE 64 KEYBOARD CONTROLS 7

DISPLAY AND INSTRUMENTS 9
SCREEN DISPLAY 9
OUT-THE-WINDOW VIEW 10
HEADS-UP DISPLAY 10
SELECTABLE INSTRUMENTS 11
VIEW CONTROL 13
CONTROL TOWER MODE 13
VIEW DIRECTION CONTROL 14

FLYING THE JET 15
FLYING BY WIRE 15
CONTROLS 15
EJECTION 17
SAMPLE FLIGHT 17

WEAPON SYSTEMS 25
ORDINANCE 25
WEAPONS INDICATOR, SELECTOR, AND FIRE CONTROL 27
RADAR SCREEN 28
RANGE CIRCLE 28

THE DOGFIGHT GAME 29
OBJECT AND RULES 29
ENEMY AIRCRAFT 29

THE TARGET STRIKE GAME 31
OBJECT AND RULES 31
SURFACE-TO-AIR MISSILES 32

GAMES TIPS AND STRATEGIES 33
THE DOGFIGHT GAME 33
THE TARGET STRIKE GAME 33
AVOIDING MISSILES 33

LOADING SCENERY DISKS 35
AIRCRAFT TECHNICAL DATA 37

INTRODUCTION

At SubLOGIC we've been steadily developing a comprehensive system of real-time three-dimensional display and simulation technologies for microcomputers. Jet is an exciting application of these technologies in a realistic simulation of both the F-16 Fighting Falcon and F-18 Hornet jet fighters. These jets have tremendous power and agility, and each is very easy to fly. The Jet includes a free flight mode for practicing aerobatics and precision maneuvering, and two different game modes to test your skills. We hope Jet will provide you with some of the excitement of flying the real thing.

DOCUMENTATION

This manual visually presents the Jet's instruments, controls, and flying techniques. We recommend that you first glance through the manual to get a general overview of all the program's features. Read the detailed descriptions later.

RUNNING THE JET

J E T

LOAD UP FROM DOS

AT READY prompt, type:

LOAD "*", 8, 1

and then press RETURN.
The program then requires
about 3 minutes to load.

OPTIONAL

Plug Joystick in
control port 1



MENU SELECTIONS



MENU SELECTIONS

MENU III

SKILL LEVEL

0 PRACTICE	•No crash •No enemy fire
EASY	•Hard to crash •Weak enemies
9 DIFFICULT	•Easy to crash •Strong enemies

SKILL LEVEL INCREASES WITH SUCCESSFUL MISSION

MENU IV

AIRCRAFT TYPE

1 F18 (CARRIER)

2 F16 (LAND)

MENU SELECTIONS

MENU
V

SELECT ARMAMENT

1 AIM-9 MISSILE
2 AIM-7 MISSILE



DOGFIGHT MISSILE LOAD UP

One to Six of Each Missile

3 AGM-65 MISSILE
4 MK-82 BOMB



TARGET STRIKE BOMB LOADUP

5 EXIT ARMING MENU

AFTER LOADUP PRESS THIS KEY

COMMODORE 64 JET KEYBOARD CONTROLS



DISPLAY AND INSTRUMENTS

SCREEN DISPLAY



OUT-THE-WINDOW VIEW

In flight mode the screen displays a view of the local scenery in front of the jet. If you select the F-16, your initial view will be of the hanger walls and ceiling that surround your aircraft. When flying the F-18 your initial view is off the bow of a Nimitz-class aircraft carrier, where your jet sits ready to be launched from the carrier deck. As you take off and start to fly, the out-the-window display rapidly updates the view based on your position and attitude.

HEADS-UP DISPLAY

A variety of instruments located around the sides of the screen allow for quick readings with minimum outside viewing interference. The vertical bar to the left of the outside view is your **airspeed indicator**. This indicates the jet's velocity in mach number (times the speed of sound). Other instruments located around the outside-view display will now be described in detail. Please refer to the **Screen Display** illustration to determine instrument location.

A. Altimeter

This vertical bar indicates the jet's altitude above ground level (AGL) in feet. The altimeter's scale is nonlinear and highly accurate even at low altitudes (i.e., landing). The nonlinear scale also alerts you to near-ground approaches when the bar indicator begins to move very rapidly.

B. Heading Indicator

The heading indicator displays the jet's magnetic heading (0...359), where 0 degrees indicates north, 90 degrees is east, 180 degrees is south, and 270 degrees is west.

C. Frame Loading Indicator

Frame loading measures the force exerted on the aircraft perpendicular to the wing surface. This force is measured in G's, where one G equals the force of gravity. If frame loading shows a negative value, the force is applied

upward with respect to the wing. This instrument is important because of the human body's limited tolerance to high acceleration. If frame loading exceeds 9 G's, the pilot will black out due to blood draining from the head. If frame loading drops below -3 G's, the pilot will 'red out' as blood rushes to the head.

D. Gear Status Indicator

This indicator displays the aircraft's landing gear status. Press <SHIFT> <G> to toggle the landing gear up or down as required.

E. Brake Status Indicator

This indicator displays the status of the jet's airbrake. To toggle the airbrake on or off, press <SHIFT><B> .

F. Fuel Level Indicator

This indicator displays the amount of fuel remaining as a percentage of total internal fuel capacity. As the throttle is increased, fuel consumption rises proportionally. With afterburners on, fuel consumption is doubled. If your fuel supply is depleted, the engines will flame out and you will have to attempt a *dead stick* landing.

SELECTABLE INSTRUMENTS

Several other instruments may be enabled or disabled at any time. These instruments are optional because they can obscure the out-the-window view and because they slow down overall animation speed.

G. Radar Display

The radar display is superimposed over the outside view. It shows the location of enemy jets and missiles with respect to your aircraft. Enemy aircraft appear as red dots (your selected target flashes red) and enemy missiles

appear white. The radar display can be turned on and off by pressing the <W> key.

H. Attitude Indicator

The attitude indicator is toggled on and off with the <A> key. This instrument shows the orientation of your aircraft with respect to the ground. A scale of lines in 20-degree increments both above and below the horizon indicates the pitch of your aircraft. Single points at the top and bottom of the scale indicate a 90-degree pitch attitude. The aircraft's bank angle is displayed by rotation of the pitch scale. This instrument is very useful when the horizon is not visible outside the window.

I. Range Indicator

The range indicator is toggled on and off with the <R> key. This instrument, which appears as a circle in the center of the screen, indicates the distance to your selected target (see **Weapon Systems**). A white circle indicates that the target is out of range. When the target comes into range, the circle turns black and diminishes counterclockwise as you close in. In Target Strike mode, range is computed by measuring the distance to the point on the ground that intersects your aircraft's flight path. This is the target point your guided ordinances will track when released. The range indicator can also be used in conjunction with the attitude indicator to determine precisely which way your aircraft is pointing.

VIEW CONTROL

C

C

Y ZOOM IN

N ZOOM OUT

CONTROL TOWER MODE

In normal flight mode, the out-the-window display is from the cockpit point of view. In control tower mode, you can watch your aircraft from the control tower's point of view. You may zoom in or zoom out (see **View Direction Control**) but the view direction is fixed towards your aircraft. If you eject from the aircraft the view will track you as your parachute opens and you float gently back to earth. Flying the aircraft in this mode is like flying a jet by remote control. Press the <C> key to toggle between cockpit and control tower points of view.

VIEW DIRECTION CONTROL



C64:

<5><F> - Left view
<5><H> - Right view
<5><T> - Front view
<5><B> - Rear view
<5><G> - Upward view

You can also zoom in and out, like a camera lens, to adjust your angle of view. 2X is the normal viewing angle, but you can zoom in to 8X or out to 1X as desired. The current zoom factor is displayed in the lower right corner of your Heads-Up Display:

<Y> - zoom in by a factor of 2
<N> - zoom out by a factor of 2

FLYING THE JET

FLYING BY WIRE

Fly by wire refers to a system of aircraft control in which the pilot sends steering commands to a computer which in turn generates actual elevator and aileron movement. All the pilot has to do is point the aircraft in the desired direction and the computer will keep it flying that way. Because the F-16 can generate more pounds of thrust than it weighs, it can accelerate vertically and is considered ballistic. This allows any angle of controlled flight.

CONTROLS

The Jet has five controls for flight operations:

The **throttle** controls engine thrust. To decrease thrust press the <-> key. To increase thrust, hold down the <+> key for a few seconds and the thrust indicator will climb rapidly. When thrust percentage exceeds 99, the afterburners are activated and yellow A.BURNER indicator is displayed. Press the <-> key once to disable the afterburners.



The **elevator** controls the aircraft's pitch attitude. Press <B> or pull back on the joystick to pitch up. If the aircraft has sufficient airspeed, this will bring the nose of the jet up. To pitch the aircraft down, either press <T> or push forward on the joystick.



AILERON



Ailerons control the jet's bank angle. To bank the aircraft left or spin counterclockwise, press <F> or move the joystick to the left. To bank right or spin clockwise, press <H> or push the joystick to the right.



NOTE: When using the keyboard for elevator/aileron control, note that the more times you press a control key the faster you rotate. Pressing the <G> key will stop rotation about both axes.

LANDING GEAR



Landing gear are used for all ground maneuvering. They are toggled up or down by pressing <SHIFT><G>. You may not raise the landing gear while on the ground. When flying, the landing gear should be raised to reduce the drag on your aircraft. This will give you a higher top speed. If you attempt to land with the gear up you will crash.

AIRBRAKES

The **airbrake** is used for landings and quick midair deceleration. Use <SHIFT><B> to toggle it on and off.

EJECTION

In extreme emergencies (imminent crash or missile hit) it may become necessary to bail out of the aircraft. Press <SHIFT><E> to eject from the jet.



- You can see the aircraft fly out from underneath you.
- Use control tower view to watch yourself drift to the ground.

SHIFT E

SAMPLE FLIGHT

To begin a sample flight, load the Jet and select the appropriate display device. Make your menu selections as follows:

Game Mode - <3> for Free Flight
Skill Level - <0> for Practice Mode
Aircraft Type - <2> for F-16

Now you should see the flight mode display, including the out-the-window view and instruments. Turn the attitude indicator on by pressing <A>. This overlays pitch markings on top of your window display. Turn on the range indicator by pressing <R>. This overlays a small white circle in the center of the screen which can be used to indicate the direction the jet is flying.

NOTE: You may pause the simulation at any time by pressing the <P> key. Press <P> again to resume flying.

SAMPLE FLIGHT

Now perform the following steps in sequence, pausing between steps if necessary:


⑦ Try Views and Zoom
• for left view 5 F
• zoom in using Y until zoom factor 8 is reached
• zoom out using N 3 times until zoom factor 1 is reached
⑤ Front View
5 T
③ • Stop Pitching
Press G
to enter steady climb
• Landing gear
up SHIFT G
① Take Off
Hold + to increase throttle.
Watch
• Thrust indicator
• Airspeed bar
• Afterburner indicator
⑥ Level Off
press T When level, press G to stop pitching
④ Rear View
Look back at airport.
Press 5 B
② Rotate and Liftoff
Press B several times
for up elevators


⑧ Front View
S T
⑨ Bank to Left F
•When 45° bank is reached, stop banking G
RETURN TO AIRPORT
•Now the stars in the sky should be spinning by quickly and heading display at the top of the screen counting down rapidly
⑪ Approach to Airport
•Lower nose T
•Reduce power − hold down
•Stop pitching G
⑬
•Keep jet from climbing by controlling pitch
•Once on the ground, taxi around using F H for steering
⑫ Landing
•Turn off attitude indicator A
•Bank right/left to guide yourself to runway
•At 500 feet, raise nose B
⑩ When heading is 115° bank right until level H followed by G to level. Your heading should be about 80°
AIRPORT
•Altimeter dropping
•Runway in sight
•Airbrakes SHIFT B slow jet down
•Landing gear down SHIFT G

TAKEOFF AND LANDING ON THE CARRIER

If you choose to fly the F-18, you will start out on the deck of a Nimitz-class aircraft carrier. Superimposed over a forward view of the launch catapult is a flashing message:

PRESS <L> TO LAUNCH FROM CATAPULT

First increase throttle to full thrust with afterburners on. Then press <L> to launch; the jet will be released and will accelerate rapidly down the deck. As airspeed increases, pull back on the elevator. When the F-18 clears the bow of the carrier the nose will come up and you will start gaining altitude.

In order to rearm or refuel the F-18 you must land back on the carrier. To do this you should try to position yourself about 3 miles west and slightly south of the carrier on a heading of 80 degrees. As you approach the Nimitz, the carrier's landing strip should be visible to the left of its superstructure, angled slightly north with respect to the ship's hull. Lower your landing gear and engage the airbrake to reduce airspeed. Now you must try to keep the jet parallel to the landing strip by banking left or right, and aim your nose for the stern of the carrier by pitching up or down. Reduce throttle to about 20% to cut airspeed even more. If you begin losing altitude too soon, increase the throttle. If approach speed is too high, decrease throttle. When the dashed centerline of the landing strip becomes visible, aim for the tripwire to the left of the superstructure. As you pass over the stern of the ship, begin to flare by slowly raising the jet's nose and try to touch down just short of the tripwire. If you catch the tripwire the jet will stop abruptly and you will be returned to the launch catapult (in Free Flight mode) or to the rearming menu page (for either combat mode).

F-16 FREE FLIGHT AREA



F-18 FREE FLIGHT AREA



NIMITZ-CLASS AIRCRAFT CARRIER



F-16 HOME BASE



WEAPON SYSTEMS

ORDINANCE

In either combat mode, once you've selected a skill level the arming menu then appears as:

SELECT ARMAMENT:

<1> AIM-9 MISSILE 160 LBS X 0
<2> AIM-7 MISSILE 500 LBS X 0
<3> AGM-65 MISSILE 460 LBS X 0
<4> MK-82 BOMB 500 LBS X 0
<5> EXIT ARMING MENU

For the F-16 the following weight data appears below the menu:

F-16 EMPTY : 14000 LBS
INTERNAL FUEL : 3700 LBS
TOTAL WEIGHT : 17700 LBS

Corresponding figures are displayed for the F-18 when that jet is selected.

Choose your weapons by pressing the appropriate number key. Each time you make a selection the number to the right of that weapon is incremented by one and your total weight is increased accordingly. If you select more than 6 of one weapon, that weapon's counter is reset to zero.

Press <5> to exit the arming menu after you've finished selecting your weapons. Note that the combined weight of the selected weapons affect the performance and flight characteristics of your jet. As you burn fuel and fire weapons, your weight decreases and the jet becomes more maneuverable. When flying the F-16 you can return to the arming menu at any time by landing and steering the jet into the hanger at your home base. If you are flying the F-18 you can return to the arming menu by catching the tripwire on the carrier deck's landing strip. After rearming the F-18 you will be replaced on the launch catapult.

DOGFIGHT ARMAMENT

AIM-9 SIDE WINDER

- Short range—5 miles
- Heat seeking, light weight
- Accurate
- Good for close combat

AIM-7 SPARROW



- Medium range—25 miles
- Radar homing
- Disadvantage—high weight

M 61 MACHINE GUN

- 500 rounds loaded when arming menu entered
- Can be used against MiGs
- 20mm cannon

TARGET STRIKE ARMAMENT

AGM-65 MAVERICK



- Air-to-ground operation
- Medium range—14 miles
- Optically guided
- Accurate
- Small warhead—small hit radius

MK-82 SMART BOMB

- Bomb. No propulsion
- Tracks a point on the ground
- Limited accuracy
- Large warhead—large hit radius

WEAPONS INDICATOR, SELECTOR, AND FIRE CONTROL



AIM 9 3

WEAPON TYPE

REMAINING*

AIM-9 ready to fire

SPACE BAR

Press to fire AIM-9

RETURN

Press to select new weapon (sequences through selection to the left)

*If 0, no ordinance remaining . Select new weapon or go back to base to rearm

DOGFIGHT

AIM 9

AIM 7

M 61

TARGET STRIKE

AGM 65

MK 82

M 61

RADAR SCREEN



W

RADAR SCREEN ON/OFF

- Useful in dogfight mode
- Can see in all directions— not limited to visual view range

RANGE CIRCLE



R

RANGE CIRCLE ON/OFF

THE DOGFIGHT GAME

OBJECT AND RULES

Dogfight is an intense three dimensional combat scenario that pits you against Soviet MiG-21 and MiG-23 fighter aircraft. They are equipped with Atoll air-to-air missiles, while you can select from a variable arsenal of AIM 9 (Sidewinder) missiles and/or AIM 7 (Sparrow) missiles along with your 20mm Vulcan cannon. Your mission is to engage and shoot down all enemy aircraft at the skill level you've selected, then return to home base for refueling and re-arming as required. If your mission has been a success, a new wave of enemy aircraft will then appear at the next higher level.

For each successful enemy hit that you score, a token marker appears on the fuselage of your jet. Your score can be viewed out the rear window as the number of tokens lining the right side of your aircraft. If your score exceeds nine, tens-digit tokens are marked along the left side of the fuselage. Shoot down all enemy aircraft before returning to base and a two point bonus will be added to your score.

A warning beeper will sound if an enemy missile comes within the danger threshold of your aircraft. If you're hit by an Atoll missile, the screen will flash red and orange and the jet will spin out of control. You have seconds to eject before your aircraft explodes and the game is over. If you eject in time you will float safely back to earth, where you will be recovered and given a new jet to fly into combat. Once you get shot down three times, you are grounded and the game is over.

ENEMY AIRCRAFT

At the start of each mission, the enemy aircraft will come at you from the south. You will encounter two different types of enemy jets: the MiG-21 and the MiG-23. These aircraft utilize the same flight equations as your jet, but

since they weigh more and have less thrust they are less maneuverable. The skill level you select will determine the type and number of aircraft you must shoot down. During a dogfight the MiG's will track you and fire their Atoll air-to-air missiles. Missiles also track your jet, and will detonate their warheads if they get within the hit radius.

MiG-21

- Appears BLACK
- Encountered in low skill level games
- Atoll missile equipped

MiG-23



- Appears BLACK
- Encountered more frequently in high skill level games
- Fast
- Highly maneuverable
- Atoll missile equipped

To shoot down an enemy aircraft you must first select one as your target. The present targeted aircraft flashes out your window and on the radar display. Press the [↑] key and your onboard tracking computer will automatically sequence to the next target. Since there can only be a maximum of three enemies in your airspace at any time, you can cycle to the desired target with a maximum of two keystrokes.

Once you've selected a target you can fire the active weapon. Press the <RETURN> key to cycle through your available weapon systems and choose the one you'd like to use. Press <SPACE> to fire that weapon. Air-to-air missiles will automatically track the target and detonate if they get within the hit radius. A rising tone from your onboard computer will indicate that the MiG has been hit. The MiG will flash, spin out of control (leaving a trail of flak in its wake), and finally explode.

After shooting down all opponents, or if you run out of weapons and ammunition, you will have to return to home base. Any remaining MiG's will chase you until you enter the safe zone surrounding your base. You can then land, rearm, and continue combat.

THE TARGET STRIKE GAME

OBJECT AND RULES

Your mission in the Target Strike game is to seek out and destroy all enemy ground targets. When flying the F-16, targets will be a randomly selected from the local area airstrips, fuel depots, factories, and missile silos. In F-18 mode, your targets are Soviet Kynda-class cruisers randomly placed in the sea to the south of your aircraft carrier. Each target will be designated by a flashing red point. Each target will also have a surface-to-air missile launcher located at this point. Your ordinance can include both AGM-65 air-to-ground missiles and MK-82 smart bombs. Press <RETURN> to cycle through your available weapons systems and choose the one you'd like to use.

Turning on your range indicator automatically activates the ground targeting computer. As you fly, the range indicator will show the distance from your jet to the point on the ground that intersects your current flight path. If this distance is greater than the range of your selected weapon, the range circle will show all white. When you come within range, position the desired homing point in the center of the range circle and press the <SPACE> bar. The weapon will be released and will track that point to the ground. If it impacts within the target's hit radius, the target will explode and a shock wave will spread from the impact point.

For each successful enemy target hit, a token marker appears on the fuselage of your jet. Your score can be viewed out the rear window as the number of tokens lining the right side of your aircraft. If your score exceeds nine, tens-digit tokens are marked along the left side of the fuselage. Destroy all enemy targets before returning to base and a two point bonus will be added to your score.

SURFACE-TO-AIR MISSILES

Enemy SAM launchers are only capable of detecting your presence within the conical airspace directly above them. If you pass within this airspace they will track your jet and launch their missiles. Because of this you should fly as low as possible when nearing your target. Should an enemy missile come within the danger threshold of your aircraft, a warning beeper will sound. If you are hit with a surface-to-air missile, the screen will flash red and orange and the jet will spin out of control. You have seconds to eject before your aircraft explodes and the game is over. If you eject in time you will float safely back to earth, where you will be recovered and given a new jet to continue the mission. Once you get shot down three times, you are grounded and the game is over.

GAME TIPS AND STRATEGIES

THE DOGFIGHT GAME

When playing the dogfight game, it's important to have the zoom factor set appropriately. At greater distances, a higher zoom factor (4X–8X) will greatly facilitate accurate weapons fire. During close-in fighting the lowest zoom factor (1X) will increase your field of view and ease target acquisition and tracking. Viewing the battle from the control tower can help determine enemy aircraft altitude. You may want to get into the habit of scanning several viewing directions during a dogfight to give yourself a better overall view of your environment.

THE TARGET STRIKE GAME

As in the dogfight game, high zoom factors increase the accuracy of weapons fire. When firing air-to-ground weapons it's important to remember that aiming errors are magnified at shallow pitch angles. Approaching the target from steeper pitch angles will allow you to deviate slightly from the target and still impact the ground near it. However, this will also place you in greater danger of being detected by the SAM launchers.

AVOIDING MISSILES

Should you detect an approaching enemy missile (from your view out the window or on the radar screen display), there are two ways to increase your chances for survival. You can try to evade the missile, but this will be difficult because of its high speed and quick turning radius. However, the missile will

run out of thrust very quickly and will lose speed rapidly once it begins to coast. Tracking imperfections can also cause the missile to miss you. Another way to increase your chance of avoiding a missile is to fly at right angles to its flight path. This keeps it turning, wasting its energy and degrading its homing accuracy. If all else fails, you can eject, but this will forfeit one of the three aircraft you are allowed each game.

LOADING SCENERY DISKS

SubLOGIC offers a set of Scenery Disks that allow you to fly over "real world" landscapes covering the entire continental United States. To load a Scenery Disk into the Jet program, select game mode <5> from the startup menu. A screen display will prompt you to:

ENTER STARTING LOCATION:

NORTH = 00000
EAST = 00000

First insert the Scenery Disk into drive A. Then check that disk's maps and documentation to determine the coordinates of the airport you'd like to start from. Enter the North coordinate and press <RETURN> if correct. If you make a mistake you can back up by pressing the <INST DEL> key. Then enter the East coordinate and press <RETURN>) again. The scenery disk will load into memory and you will continue with normal menu selections. Note that if you own a copy of Flight Simulator II you may use it as a scenery disk by following the same procedure.

AIRCRAFT TECHNICAL DATA





Aircraft:	**F-16**	**Empty weight**	14000 lbs
		Maximum Weight	33000 lbs
Wing Span	31 ft	**Maximum Thrust**	23800 lbs
Length	47 ft	**Maximum Speed**	1320 mph



AS DISPLAYED ON JET SCREEN

AIRCRAFT TECHNICAL DATA

Aircraft:	**F-18**	**Empty Weight**	20000 lbs
		Maximum Weight	50000 lbs
Wing Span	37 ft	**Maximum Thrust**	16000 lbs X 2
Length	56 ft	**Maximum Speed**	1190 mph



AS DISPLAYED ON JET SCREEN

AIRCRAFT TECHNICAL DATA



Aircraft:	**MiG-21**	**Empty Weight**	n/a
		Maximum Weight	20000 lbs
Wing Span	23 ft	**Maximum Thrust**	14500 lbs
Length	51 ft	**Maximum Speed**	1385 mph



AS DISPLAYED ON JET SCREEN

AIRCRAFT TECHNICAL DATA





Aircraft:	**MiG-23**	**Empty Weight**	22000 lbs
		Maximum Weight	37000 lbs
Wing Span	26–46 ft (variable-sweep)	**Maximum Thrust**	25000 lbs
Length	55 ft	**Maximum Speed**	1520 mph



AS DISPLAYED ON JET SCREEN

subLOGIC